## BRUSHCUTTERS

Shindaiwa string trimmers, brushcutters, and multi-tools are engineered for exceptional performance in various clearing tasks, from rough grass and thickets to shrubs and dense undergrowth. Choose between the extended reach of a straight shaft trimmer or the enhanced control of an ergonomic U-handle brushcutter. Shindaiwa multi-tools accept up to 10 versatile attachments, offering maximum flexibility for any job.

Designed for commercial use, these tools feature user-friendly ergonomic controls, a lightweight build, and are powered by a professional-grade 2-stroke engine. Every Shindaiwa trimmer, brushcutter, and multi-tool is backed by an industry-leading 2-year commercial warranty, ensuring reliable performance and productivity.

### **C262**

C230



### Brushcutter with added power yet lightweight and versatile.

- U-shaped handle for improved control and ergonomics
- Speed-Feed<sup>®</sup> 400 trimmer head reloads in seconds without disassembly
- Includes all hardware, including 2-in-1 shield, for either trimmer head or blade use
- 1.62:1 gear reduction for fast, efficient cutting

#### Professional power for extreme clearing.

- Solid-steel drive shaft for greater load capacity, torque and maximum durability
- Solid aluminum outer shaft tube for maximum durability and strength
- Adjustable bicycle-style handle bar with rubber grips
- Heavy-duty, vibration reduction system

#### Professional power for extreme clearing.

- U-shaped handle for improved control and ergonomics
- Speed-Feed<sup>®</sup> 500 trimmer head reloads in seconds without disassembly
- Includes all hardware, including 2-in-1 shield, for either trimmer head or blade use
- 1.62:1 gear reduction for fast, efficient cutting

	Engine (cc)
	Weight kg (lbs.)
142 (56)	Shaft Length cm (in.)
0.56 (18.9)	Fuel Capacity L (fl. oz.)
Speed-Feed® 400	Cutting Head:
50.8 (20)	Cutting Swath cm (in.)

Engine cc	
Weight kg (lbs.)	6.7 (14.8)
Fuel Capacity L (fl. oz.)	0.70 (24)
Shaft Length cm (in.)	
Cutting Head:	Speed-Feed® 500
Cutting Swath cm (in.)	50.8 (20)



5.9 (14.8)
0.71 (24)
149.8 (59)
Speed-Feed® 500
50.8 (20)

C302



SHINDAIWA-LATINAMERICA.COM 5



Powerful brushcutter with a symmetrical handle, and fixed shaft/adjustable handle, for demanding conditions. A slide valve carburetor produces smooth and powerful acceleration.


- Solid-steel drive shaft for greater load capacity, torgue and maximum durability
- Solid aluminum outer shaft tube for maximum durability and strength
- Adjustable bicycle-style handle bar with rubber grips
- Heavy-duty, vibration reduction system

Fuel Capacity L (fl. oz.)..... 0.98 (33.1) Shaft Length cm (in.) ...... 169 (66.5) 



Engine cc	33.6
Weight kg (lbs.)	7.6 (16.8)
Fuel Capacity L (fl. oz.)	1.0 (33.8)
Shaft Length cm (in.)	178 (70)
Cutting Swath cm (in.)	40.6 (16)







	Engine cc
8.1 (17.9)	Weight kg (lbs.)
0.76 (25.7)	Fuel Capacity L (fl. oz.)
169 (66.5)	Shaft Length cm (in.)
40.6 (16)	Cutting Swath cm (in.)





Lighter variation of the C35 with integrated handle controls, asymmetrical handle, larger air cleaner, wider debris shield, longer shaft, and aluminum crankcase.

- Solid-steel drive shaft for greater load capacity, torgue and maximum durability
- Solid aluminum outer shaft tube for maximum durability and strength
- Adjustable bicycle-style handle bar with rubber grips
- Heavy-duty, vibration reduction system

Legendary brushcutter for heavy-duty conditions and continuous use, rotating shaft, symmetrical handle, three shoe clutch, magnesium crankcase and fan cover.

- Solid-steel drive shaft for greater load capacity, torque and maximum durability
- · Solid aluminum outer shaft tube for maximum durability and strength
- Adjustable bicycle-style handle bar with rubber grips
- Heavy-duty, vibration reduction system

Same power and performance as the B45 featuring a 169 cm (66.5 in.) fixed shaft, aluminum crankcase and fan cover, nylon muffler cover, and recoil starter.

- Solid-steel drive shaft for greater load capacity, torque and maximum durability
- Solid aluminum outer shaft tube for maximum durability and strength
- Adjustable bicycle-style handle bar with rubber grips
- Heavy-duty, vibration reduction system



**B45LA** 

**B445** 



The Shindaiwa B445 is a highperformance brushcutter featuring a powerful commercial 45.7cc 2-stroke engine. It is designed for medium to heavy use in applications like cutting thick grass, heavy weeds and small saplings.

Engine cc	
Weight kg (lbs.)	7.7 (17)
Fuel Capacity L (fl. oz.)	0.95 (32.1)
Shaft Length cm (in.)	179.2 (70.06)
Cutting Swath cm (in.)	40.6 (16)



### B450/B450R



More powerful variation of the B45 with improved cooling performance, wider debris shield, stop switch on handle grip, ergonomic asymmetrical handle, large easy-access air cleaner, and 4-shoe clutch.

B450 = Fixed Shaft B450R = Rotary Shaft

Engine cc 41.5	
Weight kg (lbs.)7.9 (17.4) / 8.1 (17.9)	
Fuel Capacity L (fl. oz.)	
Shaft Length cm (in.) 180 (70.8)	
Cutting Swath cm (in.)	





Featuring a 45.7 cc easy start engine the B451 combines power with maneuverability which provides easy use and high durability.

- 45.7cc easy start Engine
- Highly durable, lightweight, and ergonomic frame
- Combines power with maneuverability
- Fuel filter provides greater performance

Engine cc	
Weight kg (lbs.)	
Fuel Capacity L (fl. oz.)	0.95 (32.1)
Shaft Length cm (in.)	179.2 (70.06)
Cutting Swath cm (in.)	40.6 (16)



### B452/B452R



More powerful variation of the B45 with improved cooling performance, wider debris shield, stop switch on handle grip, ergonomic asymmetrical handle, large easy-access air cleaner, and 4-shoe clutch.

The B452/B452R meets NOM-204 standards B452 = Fixed Shaft B452R = Rotary Shaft \*This unit is only available in Mexico

8.1 (17.9)
180 (70.8)
40.6 (16)



7

**B460** 



Powerful 45.7 cc professionalgrade, 2-stroke air cooled engine. The professional construction and features provide high performance and reliability.

- Adjustable U-handle for easy transportation and storage
- Two-in-one debris shield for use with blade or trimmer head
- Drive shaft includes internal bearings which improve performance and durability

Engine cc	
Weight kg (lbs.)	7.8 (17.2)
Fuel Capacity L (fl. oz.)	0.95 (32.1)
Shaft Length cm (in.)	
Cutting Swath cm (in.)	25.4 (10)



<b>B530</b>	
1	1
and the second s	

Shindaiwa's most powerful brushcutter offers maximum cutting power of heavy brush and small saplings.

Engine cc	
Weight kg (lbs.)	9.6 (21.2)
Fuel Capacity L (fl. oz.)	1.2 (40.6)
Shaft Length cm (in.)	180 (70.8)
Cutting Swath cm (in.)	25.4 (10)



### **BP35**



#### Comfortable backpack brushcutter, designed for use in the most demanding, uneven terrain.

- Solid-steel drive shaft for greater load capacity and maximum durability
- Solid aluminum outer shaft tube for maximum durability and strength
- Adjustable ergonomic-asymmetric bicycle-style handle bar with rubber grips
- Heavy-duty, vibration reduction system

Engine cc	41.5
Weight kg (lbs.)	9.7 (21.4)
Fuel Capacity L (fl. oz.)	1.2 (40.6)
Shaft Length cm (in.)	180 (70.8)
Cutting Swath cm (in.)	40.6 (16)



## TRIMMERS

Shindaiwa string trimmers, brushcutters, and multi-tools are engineered for exceptional performance in various clearing tasks, from rough grass and thickets to shrubs and dense undergrowth. Choose between the extended reach of a straight shaft trimmer or the enhanced control of an ergonomic U-handle brushcutter. Shindaiwa multi-tools accept up to 10 versatile attachments, offering maximum flexibility for any job.

Designed for commercial use, these tools feature user-friendly ergonomic controls, a lightweight build, and are powered by a professional-grade 2-stroke engine. Every Shindaiwa trimmer, brushcutter, and multi-tool is backed by an industry-leading 2-year commercial warranty, ensuring reliable performance and productivity.



#### A powerful, efficient, and user-friendly string trimmer known for handling tough jobs with ease.

- i-30<sup>™</sup> starter reduces starting effort by 30%
- Ergonomic cushioned front and rear handles for user comfort
- Tool-less, easy-access, commercial-grade felt air filter for durability

Engine (cc)21.2
Weight kg (lbs.) 5.21 (11.5)
Fuel Capacity L (fl. oz.)
Shaft Length cm (in) 149.8 (59)
Cutting Head:Speed-Feed® 400
Cutting Swath cm (in.) 43.1 (17)



### Lightweight professional unit with surprising power.

- Solid-steel drive shaft for greater load capacity, torque and maximum durability
- Solid aluminum outer shaft tube for maximum durability and strength
- Loop handle with rubber grip for optimal maneuverability and comfort
- Heavy-duty, vibration reduction system

## Excellent entry-level straight shaft model with great fuel efficiency.

- Speed-Feed<sup>®</sup> 400 trimmer head reloads in seconds without disassembly
- Tool-less, easy-access, commercial-grade felt air filter for durability
- Vibration reduction system and cushioned handles for increased comfort
- Straight shaft provides a long reach

Engine cc	22 5
•	
Weight kg (lbs.)	4.9 (10.9)
Fuel Capacity L (fl. oz.)	0.54 (18.2)
Overall Length cm (in.)	171 (67.3)
Cutting Swath cm (in.)	40.6 (16)



Engine (cc)	
Weight kg (lbs.)	4.8 (10.6)
Fuel Capacity L (fl. oz.)	0.42 (14.2)
Shaft Length cm (in.)	151 (60)
Cutting HeadSp	eed-Feed® 400
Cutting Swath cm (in.)	50.8 (20)





## Large displacement straight shaft model handles tough, thick grasses and weeds.

- Speed-Feed<sup>®</sup> 500 trimmer head reloads in seconds without disassembly
- Magnesium fan housing reduces weight with increased durability
- 1.62:1 gear reduction for fast, efficient cutting
- Overmolded front and rear hand grips for extreme comfort

Engine (cc)	
Weight kg (lbs.)	5.5 (12.1)
Fuel Capacity L (fl. oz.)	0.71 (24)
Shaft Length cm (in.)	
Cutting Head:	Speed-Feed® 500
Cutting Swath cm (in.)	





Large displacement straight shaft model handles tough, thick grasses and weeds, also equipped to switch to blade use.

- Speed-Feed<sup>®</sup> 500 trimmer head reloads in seconds without disassembly
- Magnesium fan housing reduces weight with increased durability
- 1.62:1 gear reduction for fast, efficient cutting
- Overmolded front and rear hand grips for extreme comfort

Engine (cc)	
Weight kg (lbs.)	5.7 (12.6)
Fuel Capacity L (fl. oz.).	
Shaft Length cm (in.)	
Cutting Head	Speed-Feed® 500
Cutting Swath cm (in.)	





## Lightweight curved shaft unit ideal for smaller sized farm and garden care.

- Curved shaft design is ideal for precision pruning in green areas
- High-tolerance fiber construction enhances longevity and performance
- Thick insulating block keeps temperatures low and reduces carburetor fuel consumption.

Engine cc	
Weight kg (lbs.)	5.2 (11.4)
Fuel Capacity L (fl. oz.)	0.35 (12)
Overall Length cm (in.)	130 (51)
Cutting Swath cm (in.)	43 (17)



# **BRUSHCUTTER & TRIMMER ACCESSORIES**

#### Trimmer-to-Brushcutter Conversion Kit

Includes all components needed to convert trimmers for use with a brushcutter blade. (Blade not included) 25 mm arbor Part #: 80575B for T225, T235, T262, T302



#### **Brushcutter Pro Harness**

Eases long periods of use by distributing weight evenly across the body. Wide hip and shoulder pads improve comfort while reducing fatigue. Reduces risk of contacting cutting head area during operation. Part # C062000430

